



<b>EAN:</b>	4013288105790	<b>Size:</b>	165x60x23 mm
<b>Part number:</b>	05073511001	<b>Weight:</b>	49 g
<b>Article number:</b>	887/4 RR SB SiS	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	84661038

- Rapidaptor technology for rapid bit change
- Rapidaptor universal holder with ring magnet for bits with 1/4" hexagon drive
- Ring magnet and stop sleeve for secure fit of the screw on the holder
- 1/4" hexagon drive

Rapidaptor universal holder for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173). The floating, fast-rotating magnet sleeve holds even long and heavy screws firmly. The Rapidaptor allows mounting the bits without using the sleeve. The bit is removed by simply pushing it forward - for lightning-fast bit changes, even with just one hand. 1/4" hexagonal, suitable for screwdriver machines with mounting as per DIN ISO 1173-F 6.3.

#### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_holders\\_adaptors\\_connectors\\_rapidaptor\\_bit\\_holders\\_887\\_4\\_rr\\_sb\\_sis.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_holders_adaptors_connectors_rapidaptor_bit_holders_887_4_rr_sb_sis.html)

Wera - 887/4 RR SB SiS  
05073511001 - 4013288105790

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Rapidaptor Bit Holders

### Ring magnet Rapidaptor



Special design powerful ring magnet, for larger and heavier screws. Ideal for overhead work, too.

### Rapidaptor with ringmagnet




The floating, free-turning magnetic sleeve securely holds even large and heavy screws to enable immediate application. There is no need to hold the screw when applying the tool - something which can be dangerous and painful. Also ideal for overhead work.

### Rapidaptor holder



Rapid bit change without needing any additional tools. One-hand operation with a freely spinning sleeve for simplified guidance of the tool. Also available in a BiTorsion design.

### Rapid-spin



The free-turning sleeve allows screw steadying at the start of the screwdriving process. This makes it easier to apply the tool to the screw and prevents slipping. It can also be used as a short extension for 1/4" applications e.g. in combination with the Wera Zyklop Ratchets.

### Single-hand function



Every function of the Rapidator quick-release chuck, such as inserting or releasing bits, can be carried out with one hand. This is faster, more economical and more ergonomic. There are no unnecessary manoeuvres.

### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_holders\\_adaptors\\_connectors\\_rapidaptor\\_bit\\_holders\\_887\\_4\\_rr\\_sb\\_sis.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_holders_adaptors_connectors_rapidaptor_bit_holders_887_4_rr_sb_sis.html)

Wera - 887/4 RR SB SiS  
05073511001 - 4013288105790

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## 887/4 RR SB Rapidaptor Universal Bit Holder with ring magnet, 1/4" x 57 mm

### Rapidaptor Bit Holders



#### Set contents:

#### 887/4 RR Rapidaptor Universal Bit Holder with ring magnet, 1/4" x 57 mm

05052490001

1x 1/4" x 57 mm



#### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_holders\\_adaptors\\_connectors\\_rapidaptor\\_bit\\_holders\\_887\\_4\\_rr\\_sb\\_sis.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_holders_adaptors_connectors_rapidaptor_bit_holders_887_4_rr_sb_sis.html)

Wera - 887/4 RR SB SiS  
05073511001 - 4013288105790

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)